

















Mosaic System SM24	Digital Panel Meters				
Figure	Part No.	Description	Weight (g)		
	SE200-24/48-03 Low Voltage - Up to 4.5 digits panel meter with 0.3" high LED's				
	SE200-24/48-03-20	2 digits	150.0		
	SE200-24/48-03-30	3 digits	150.0		
	SE200-24/48-03-35	3.5 digits	150.0		
	SE200-24/48-03-40	4 digits	150.0		
	SE200-24/48-03-45	4.5 digits	150.0		
	SE200-24/72-06 Low Voltage - Up to 4 digits panel meter with 0.6" high LED's				
	SE200-24/72-06-20	2 digits	180.0		
	SE200-24/72-06-30	3 digits	180.0		
	SE200-24/72-06-35	3.5 digits	180.0		
SE200-24/72-06-40	4 digits	180.0			
	SE200-24/96-06 Low Voltage - Up to 4.5 digits panel meter with 0.6" high LED's				
	SE200-24/96-06-20	2 digits	210.0		
	SE200-24/96-06-30	3 digits	210.0		
	SE200-24/96-06-35	3.5 digits	210.0		
	SE200-24/96-06-40	4 digits	210.0		
	SE200-24/96-06-45	4.5 digits	210.0		
	SE200-48/96-06 Low and High Voltage - Up to 4.5 digits panel meter with 0.6" high LED's				
	SE200-48/96-06-20	2 digits	220.0		
	SE200-48/96-06-30	3 digits	220.0		
	SE200-48/96-06-35	3.5 digits	220.0		
SE200-48/96-06-40	4 digits	220.0			
SE200-48/96-06-45	4.5 digits	220.0			
SE200-48/96-08 Low and High Voltage - Up to 4 digits panel meter with 0.8" high LED's					
SE200-48/96-08-20	2 digits	230.0			
SE200-48/96-08-30	3 digits	230.0			
SE200-48/96-08-35	3.5 digits	230.0			
SE200-48/96-08-40	4 digits	230.0			
	SE200-48/144-10 Low and High Voltage - Up to 4.5 digits panel meter with 1" high LED's				
	SE200-48/144-10-20	2 digits	250.0		
	SE200-48/144-10-30	3 digits	250.0		
	SE200-48/144-10-35	3.5 digits	250.0		
	SE200-48/144-10-40	4 digits	250.0		
	SE200-48/144-10-45	4.5 digits	250.0		


Mosaic System SM24		Digital Panel Meters			
Figure	Part No.	Description	Weight (g)		
	<b>SE200-155/408-20 Low and High Voltage - Up to 7 digits panel meter with 2" high LED's</b>				
	SE200-144/168-20-20	2 digits			
	SE200-144/216-20-30	3 digits			
	SE200-144/264-20-35	3.5 digits			
	SE200-144/264-20-40	4 digits			
	SE200-144/312-20-45	4.5 digits			
	SE200-144/312-20-50	5 digits			
	SE200-144/360-20-55	5.5 digits			
	SE200-144/360-20-60	6 digits			
	SE200-144/408-20-65	6.5 digits			
	SE200-144/408-20-70	7 digits			
	<b>SE200-288/816-40 Low and High Voltage - Up to 7 digits panel meter with 4" high LED's</b>				
	SE200-288/336-40-20	2 digits			
	SE200-288/432-40-30	3 digits			
	SE200-288/528-40-35	3.5 digits			
	SE200-288/528-40-40	4 digits			
	SE200-288/624-40-45	4.5 digits			
	SE200-288/624-40-50	5 digits			
	SE200-288/720-40-55	5.5 digits			
	SE200-288/720-40-60	6 digits			
	SE200-288/816-40-65	6.5 digits			
	SE200-288/816-40-70	7 digits			
		<b>SE200-264/840-50 Low and High Voltage - Up to 7 digits panel meter with 5" high LED's</b>			
		SE200-264/240-50-20	2 digits		
SE200-264/360-50-30		3 digits			
SE200-264/480-50-35		3.5 digits			
SE200-264/480-50-40		4 digits			
SE200-264/600-50-45		4.5 digits			
SE200-264/600-50-50		5 digits			
SE200-264/720-50-55		5.5 digits			
SE200-264/720-50-60		6 digits			
SE200-264/840-50-65		6.5 digits			
SE200-264/840-50-70		7 digits			
	<b>SE2000-48/96-03 Low and High Voltage - Up to 8 digits counter with 0.3" high LED's</b>				
	SE2000-48/96-03-20	2 digits			
	SE2000-48/96-03-30	3 digits			
	SE2000-48/96-03-40	4 digits			
	SE2000-48/96-03-50	5 digits			
	SE2000-48/96-03-60	6 digits			
	SE2000-48/96-03-70	7 digits			
	SE2000-48/96-03-80	8 digits			
	<b>SE2000-48/96-06 Low and High Voltage - Up to 6 digits counter with 0.6" high LED's</b>				
	SE2000-48/96-06-20	2 digits			
	SE2000-48/96-06-30	3 digits			
	SE2000-48/96-06-40	4 digits			
	SE2000-48/96-06-50	5 digits			
	SE2000-48/96-06-60	6 digits			
	SE2000-48/96-06-70	7 digits			
	SE2000-48/96-06-80	8 digits			

Mosaic System SM24	Digital Panel Meters				
Figure	Part No.	Description	Weight (g)		
	SE2000-144/456-20	Low and High Voltage - Up to 8 digits counter with 2" high LED's			
	SE2000-144/168-20-20	2 digits	Available	Only Upon Request	
	SE2000-144/216-20-30	3 digits			
	SE2000-144/264-20-40	4 digits			
	SE2000-144/312-20-50	5 digits			
	SE2000-144/360-20-60	6 digits			
	SE2000-144/408-20-70	7 digits			
	SE2000-144-456-20-80	8 digits			
	SE2000-264/960-50	Low and High Voltage - Up to 8 digits counter with 5" high LED's			
	SE2000-264/240-50-20	2 digits	Available	Only Upon Request	
	SE2000-264/360-50-30	3 digits			
	SE2000-264/480-50-40	4 digits			
	SE2000-264/600-50-50	5 digits			
	SE2000-264/720-50-60	6 digits			
	SE2000-264/840-50-70	7 digits			
	SE2000-264/960-50-80	8 digits			
	SE400-72/168-10	Digital Clock with 1" high LED's			
	SE400-72/168-10-HM	Hours and minutes	Available upon Request Only		
	SE400-72/168-10-HMS	Hrs, minutes and seconds			
	SE400-72/168-10-CAL	Calendar			
	SE400-144/408-20	Digital Clock with 2" high LED's			
	SE400-144/208-20-HM	Hours and minutes	Available upon Request Only		
SE400-144/408-20-HMS	Hrs, minutes and seconds				
SE400-144/408-20-CAL	Calendar				
	SE400-264/720-50-HMS	Digital Clock with 5" high LED's			
	SE400-264/480-50-HM	Hours and minutes	Available upon Request Only		
	SE400-264/720-50-HMS	Hrs, minutes and seconds			
	SE400-264/720-50-CAL	Calendar			


Mosaic System SM24		Display Control System Hardware			
Figure	Part No.	Description	Weight (g)		
	ALS-C	Controller	825.0		Allows 2,048 pts to be monitored and controlled.
	ALS-CX	Expansion Boa	300.0		Increases system control to 16,384 points.
	ALS-OS	DMUX Low Cu	825.0		Output board with 64 points per board. Low current output.
	ALS-O	DMUX High Cu	825.0		Output board with 64 points per board. High current output.
	ALS-I	DMUX Input B	1588.0		64 field inputs N.O., N.C. or direct voltage can be monitored
	ALS-BCD	BCD Logic Boa	825.0		

<b>Mosaic System SM24</b>	<b>Display Control System Hardware</b>			
---------------------------	--	--	--	--

Figure	Part No.	Description	Weight (g)	
--------	----------	-------------	------------	--

	<b>ALS-BCD-DIST</b>	BCD Distributic	825.0	
				

	<b>ALS-IO</b>	Input/Output I	825.0	
--	---------------	----------------	-------	--






				
--	--	--	--	--

--	--	--	--	--

--	--	--	--	--

--	--	--	--	--

--	--	--	--	--

Mosaic System SM24	Tools				
Figure	Part No.	Description	Weight (g)		
	Tile/Lamp Remover Tool				
	SRT-01		4.0		
	Push Button Mounting Tool				
	SMT-01		7.0		
	Grid Cross-line Breaker				
	SGB-01		148.0		
	Side Grid Junction Cutter				
	SGC-01		840.0		
	Corner Grid Junction Cutter				
	SGC-02		840.0		











